



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/674,875

09/29/2003

Bernard Rummel

09700.0063

9206

22852 7590 03/07/2007  
FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER  
LLP  
901 NEW YORK AVENUE, NW  
WASHINGTON, DC 20001-4413

EXAMINER

WATT, CHRIS A

ART UNIT

PAPER NUMBER

2174

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

03/07/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

## Office Action Summary

Application No.

10/674,875

Applicant(s)

RUMMEL ET AL.

Examiner

Chris Watt

Art Unit

2174

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 06 February 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

### DETAILED ACTION

1. This communication is responsive to Amendment filed February 6, 2007.
2. Claims 1-15 are pending in this application. Claims 1, 8 and 15 are independent claims. In the instant Amendment, claims 1, 8 and 15 were amended. This action is made final.

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Coleman et al. ("Coleman" US Patent No. 5,828,374) in view of Schirmer et al. ("Schirmer" US Patent No. 6,829,615) and Shalit et al. ("Shalit" US Patent No. 5,714,971).

Regarding independent claim 1, Coleman teaches a computer program product (FIGURE 1, col. 7 lines 52-55 of Coleman), tangibly embodied in an information carrier (50, 52, 55, 60, 62 of Coleman), comprising instructions operable to cause data processing apparatus (52, col. 7 lines 45-47 of Coleman) to display application data (138, col. 9 lines 41-45 of Coleman) in user interface elements (i.e. 176, "working area" 145, 150 of Coleman), the user interface elements comprising two or more independent elements (176, "plurality of letters" col. 11 lines 4-7 of Coleman) and one or more dependent elements (170, col. 9 lines 53-55 of Coleman), where one of the independent

Art Unit: 2174

elements (176, "plurality of letters" col. 11 lines 4-7 of Coleman) can have the property of being the selected element (175, col. 9 lines 60-64, col. 10 lines 7-8 of Coleman), and where the application data displayed in the dependent elements (170, col. 9 lines 60-62 of Coleman) is made to correspond to the application data displayed in the selected element (170, 175, 176, col. 10 lines 7-8 of Coleman), receive user input from a user (col. 11 lines 20-28 of Coleman) to establish a normal mode ("releases switch" col. 11 lines 20-23 of Coleman) or a decoupled mode ("depressing switch" col. 11 lines 20-23 of Coleman) of user interface operation, and receive navigation input ("dragging the cursor and slider" col. 11 lines 20-23 of Coleman), to navigate from one user interface element to another user interface element ("over the desired letter" col. 11 lines 20-23 of Coleman), where in the normal mode ("releases switch" col. 11 lines 20-23 of Coleman), navigation to an independent element ("over the desired letter" col. 11 lines 20-23 of Coleman), causing the independent element to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23 of Coleman), and where in the decoupled mode ("depressing switch" col. 11 lines 20-23 of Coleman), navigation to an independent element ("dragging the cursor and slider over the desired letter" col. 11 lines 20-23 of Coleman) does not change which, if any, of the independent elements ("plurality of letters" col. 11 lines 4-7 of Coleman) is the selected element ("at which point the user releases the switch" col. 11 lines 20-23 of Coleman, also note element not selected beneath cursor 44 in FIGURE 5 of Coleman). Coleman does not teach navigation to an independent element with the navigation input is sufficient to cause the

Art Unit: 2174

independent element to become the selected element or navigation input distinct from the user input.

Schirmer teaches navigation to an independent element with the navigation input is sufficient to cause the independent element to become the selected element (i.e. selected independent elements from navigation input in FIGS. 6-9 of Schirmer). It would have been obvious to an artisan at the time of the invention to combine the selected independent elements from navigation input of Schirmer with the user interface elements of Coleman "to filter a list of data objects according to selected attribute values or entries" (col. 3 lines 42-43 of Schirmer). Neither Coleman nor Schirmer teaches the selected element or navigation input distinct from the user input.

Shalit teaches the selected element or navigation input distinct from the user input (i.e. clicked-on selected element (seen highlighted in "box") dragged without details being displayed in window, as seen in FIGS. 2B-2C and 3A-3C of Shalit). It would have been obvious to an artisan at the time of the invention to combine the distinct navigation input of Shalit with the user interface elements of Coleman and the selected independent elements from navigation input of Schirmer so that "to view the contents of an object, you have ... choices" (col. 5 lines 34-35 of Shalit).

As to claim 8, Coleman teaches a computer implemented method (FIGURES 18-19d of Coleman), comprising: displaying application data in user interface elements (i.e. 176, "working area" 145, 150 of Coleman), the user interface elements comprising two or more independent elements (176, "plurality of letters" col. 11 lines 4-7 of Coleman) and one or more dependent elements (170, col. 9 lines 53-55 of Coleman), where one

Art Unit: 2174

of the independent elements (176, "plurality of letters" col. 11 lines 4-7 of Coleman) can have the property of being the selected element (175, col. 9 lines 6-64, col. 10 lines 7-8 of Coleman), and where the application data displayed in the dependent elements (170, col. 9 lines 60-62 of Coleman) is made to correspond to the application data displayed in the selected element (170, 175, 176, col. 10 lines 7-8 of Coleman), receiving user input from a user (col. 11 lines 20-28 of Coleman) to establish a normal mode ("releases switch" col. 11 lines 20-23 of Coleman) or a decoupled mode ("depressing switch" col. 11 lines 20-23 of Coleman) of user interface operation, and receiving navigation input ("dragging the cursor and slider" col. 11 lines 20-23 of Coleman), where in the normal mode ("releases switch" col. 11 lines 20-23 of Coleman), navigation to an independent element ("over the desired letter" col. 11 lines 20-23 of Coleman) causes the independent element to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23 of Coleman), and where in the decoupled mode ("depressing switch" col. 11 lines 20-23 of Coleman), navigation to an independent element ("dragging the cursor and slider over the desired letter" col. 11 lines 20-23 of Coleman) does not change which, if any, of the independent elements ("plurality of letters" col. 11 lines 4-7 of Coleman) is the selected element ("at which point the user releases the switch" col. 11 lines 20-23 of Coleman, also note element not selected beneath cursor 44 in FIGURE 5 of Coleman). Coleman does not teach navigation to an independent element with the navigation input is sufficient to cause the independent element to become the selected element or navigation input distinct from the user input.

Schirmer teaches navigation to an independent element with the navigation input is sufficient to cause the independent element to become the selected element (i.e. selected independent elements from navigation input in FIGS. 6-9 of Schirmer). It would have been obvious to an artisan at the time of the invention to combine the selected independent elements from navigation input of Schirmer with the user interface elements of Coleman "to filter a list of data objects according to selected attribute values or entries" (col. 3 lines 42-43 of Schirmer). Neither Coleman nor Schirmer teaches the selected element or navigation input distinct from the user input.

Shalit teaches the selected element or navigation input distinct from the user input (i.e. clicked-on selected element (seen highlighted in "box") dragged without details being displayed in window, as seen in FIGS. 2B-2C and 3A-3C of Shalit). It would have been obvious to an artisan at the time of the invention to combine the distinct navigation input of Shalit with the user interface elements of Coleman and the selected independent elements from navigation input of Schirmer so that "to view the contents of an object, you have ... choices" (col. 5 lines 34-35 of Shalit).

As to claim 15, Coleman teaches an apparatus comprising: means for displaying application data (138, col. 9 lines 41-45 of Coleman) in user interface elements (i.e. 176, "working area" 145, 150 of Coleman), the user interface elements comprising two or more independent elements (176, "plurality of letters" col. 11 lines 4-7 of Coleman) and one or more dependent elements (170, col. 9 lines 53-55 of Coleman), where one of the independent elements (176, "plurality of letters" col. 11 lines 4-7 of Coleman) can have the property of being the selected element (175, col. 9 lines 60-64 of Coleman,

Art Unit: 2174

col. 10 lines 7-8 of Coleman), and where the application data displayed in the dependent elements (170, col. 9 lines 60-62 of Coleman) is made to correspond to the application data displayed in the selected element (170, 175, 176, col. 10 lines 7-8 of Coleman), means for receiving user input from a user (col. 11 lines 20-28 of Coleman) to establish a normal mode ("releases switch" col. 11 lines 20-23 of Coleman) or a decoupled mode ("depressing switch" col. 11 lines 20-23 of Coleman) of user interface operation; and means for receiving navigation input ("dragging the cursor and slider" col. 11 lines 20-23 of Coleman) , where in the normal mode ("releases switch" col. 11 lines 20-23 of Coleman), navigation to an independent element ("dragging the cursor and slider over the desired letter" col. 11 lines 20-23 of Coleman) causes the independent element to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23 of Coleman), and where in the decoupled mode ("depressing switch" col. 11 lines 20-23 of Coleman), navigation to an independent element ("dragging the cursor and slider over the desired letter" col. 11 lines 20-23 of Coleman) does not change which, if any, of the independent elements ("plurality of letters" col. 11 lines 4-7 of Coleman) is the selected element ("at which point the user releases the switch" col. 11 lines 20-23 of Coleman, also note element not selected beneath cursor 44 in FIGURE 5 of Coleman). Coleman does not teach navigation to an independent element with the navigation input is sufficient to cause the independent element to become the selected element or navigation input distinct from the user input.

Schirmer teaches navigation to an independent element with the navigation input is sufficient to cause the independent element to become the selected element (i.e.



Art Unit: 2174

selected independent elements from navigation input in FIGS. 6-9 of Schirmer). It would have been obvious to an artisan at the time of the invention to combine the selected independent elements from navigation input of Schirmer with the user interface elements of Coleman "to filter a list of data objects according to selected attribute values or entries" (col. 3 lines 42-43 of Schirmer). Neither Coleman nor Schirmer teaches the selected element or navigation input distinct from the user input.

Shalit teaches the selected element or navigation input distinct from the user input (i.e. clicked-on selected element (seen highlighted in "box") dragged without details being displayed in window, as seen in FIGS. 2B-2C and 3A-3C of Shalit). It would have been obvious to an artisan at the time of the invention to combine the distinct navigation input of Shalit with the user interface elements of Coleman and the selected independent elements from navigation input of Schirmer so that "to view the contents of an object, you have ... choices" (col. 5 lines 34-35 of Shalit).

As to claim 2, see the analysis of claim 1 above. Coleman, in combination with Schirmer and Shalit, teaches the computer program product of claim 1, further comprising instructions operable to: receive user input from a user ("dragging the cursor and slider" col. 11 lines 20-23 of Coleman) switching to the normal mode ("releases switch" col. 11 lines 20-23 of Coleman) from the decoupled mode ("depressing switch" col. 11 lines 20-23 of Coleman) and thereupon cause the independent element specified by the most recently received navigation input ("over the desired letter" col. 11 lines 20-23 of Coleman) to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23 of Coleman).

Art Unit: 2174

As to claim 3, see the analysis of claim 1 above. Coleman, in combination with Schirmer and Shalit, teaches the computer program product of claim 1, further comprising instructions operable to: establish the decoupled mode ("depressing switch" col. 11 lines 20-23 of Coleman, see also col. 7 lines 1-10 of Coleman) when a key (e.g. 175 "F" in FIGURES 10-11 of Coleman, see also col. 11 lines 24-28 of Coleman) is pressed and held by the user ("depressing a desired character key on the keyboard" col. 11 lines 24-28 of Coleman), and establish the normal mode when the key is released by the user ("releases switch" col. 11 lines 20-23 of Coleman).

As to claim 4, see the analysis of claim 3 above. Coleman, in combination with Schirmer and Shalit, teaches the computer program product of claim 3, wherein the key (e.g. 175 "F" in FIGURES 9-11, see also col. 11 lines 24-28 of Coleman) comprises a control key on a keyboard ("cursor control means includes ... a switch having a first position and second position ... such as ... keyboard inputs" col. 7 lines 1-10 of Coleman).

As to claim 5, see the analysis of claim 1 above. Coleman, in combination with Schirmer and Shalit, teaches the computer program product of claim 1, further comprising instructions operable to: display application data in a table (i.e. table within "access window" 130 of Coleman) having two or more rows (i.e. row for "alpha scroll bar" 176 and rows for "topic area" 160 of Coleman) and one or more detail views (i.e. "working area" 145, 150 of Coleman), the rows being the independent elements and the one or more detail views being the dependent elements (i.e. note how dependent elements in detail view including "files" displayed when independent element "F"

Art Unit: 2174

selected in Coleman), where if one of the rows (i.e. row for "alpha scroll bar" 176 and rows for "topic area" 160 of Coleman) is the selected element (i.e. "F" and "files" respectively in FIGURES 10-11 of Coleman), the application data displayed in the detail views (i.e. "index entries" (i.e. "files" in FIGURES 10-11 of Coleman) and "phrases" (i.e. "find a file or folder?" in FIGURE 11) respectively in figures 10-11 of Coleman) is made to correspond to the application data displayed in the selected element (i.e. all "index entries" related to "F" are displayed, all "phrases" (i.e. "find a file or folder?" in FIGURE 11) related to "files" are displayed in Coleman).

As to claim 6, see the analysis of claim 1 above. Coleman, in combination with Schirmer and Shalit, teaches the computer program product of claim 1, wherein the dependent elements (i.e. "working area" 145, 150 of Coleman) include first level elements ("index entries" FIGURES 10-11 of Coleman) and second level elements ("phrase" FIGURES 10-11 of Coleman), where one of the first level elements can have the property of being the first level selected element (i.e. "files" in FIGURES 10-11 of Coleman), and where the application data displayed in the second level elements is made to correspond to the application data displayed in the first level selected element (i.e. "How do I ... find a file or folder?" in FIGURE 11 of Coleman), further comprising instructions operable to: receive user input to navigate to first level elements (i.e. "placement of the cursor 44 over an entry" col. 10 lines 9-10 of Coleman), where in the normal mode (i.e. "momentary clicking of the switch on the mouse col. 10 lines" 10-11 of Coleman), navigation to a first level element (i.e. "placement of the cursor over an entry" col. 10 lines 9-10 of Coleman) causes the first level element to become the

Art Unit: 2174

selected element (i.e. note outline around "files" in figures 10-11 of Coleman), and where in the decoupled mode ("user releases the switch on the mouse" col. 10 lines 6-7 of Coleman), navigation to a first level element ("placement of the cursor over an entry" col. 10 lines 9-10 of Coleman) does not change which, if any, of the first level elements is the selected element (i.e. note element not selected beneath cursor 44 in FIGURE 5 of Coleman).

As to claim 7, see the analysis of claim 6 above. Coleman, in combination with Schirmer and Shalit, teaches the computer program product of claim 6, further comprising instructions operable to: receive user input (i.e. "placement of the cursor over an entry" col. 10 lines 9-10 of Coleman) from a user switching to the normal mode (i.e. "momentary clicking of the switch on the mouse col. 10 lines" 10-11 of Coleman) from the decoupled mode ("user releases the switch on the mouse" col. 10 lines 6-7 of Coleman) and thereupon cause the first level element specified by the most recently received navigation input (i.e. "placement of the cursor over an entry" col. 10 lines 9-10 of Coleman) to become the first level selected element (i.e. note cursor 44 selecting "files" in FIGURE 10 of Coleman).

As to claim 9, see the analysis of claim 8 above. Coleman, in combination with Schirmer and Shalit, teaches the method of claim 8, further comprising: receiving user input from a user ("dragging the cursor and slider" col. 11 lines 20-23 of Coleman) switching to the normal mode ("releases switch" col. 11 lines 20-23 of Coleman) from the decoupled mode ("depressing switch" col. 11 lines 20-23 of Coleman) and thereupon cause the independent element specified by the most recently received

Art Unit: 2174

navigation input ("over the desired letter" col. 11 lines 20-23 of Coleman) to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23 of Coleman).

As to claim 10, see the analysis of claim 8 above. Coleman, in combination with Schirmer and Shalit, teaches the method of claim 8, further comprising: establishing the decoupled mode ("depressing switch" col. 11 lines 20-23, see also col. 7 lines 1-10 of Coleman) when a key is pressed and held by the user ("depressing a desired character key on the keyboard" col. 11 lines 24-28 of Coleman); and establishing the normal mode when the key is released by the user ("releases switch" col. 11 lines 20-23 of Coleman).

As to claim 11, see the analysis of claim 10 above. Coleman, in combination with Schirmer and Shalit, teaches the method of claim 10, wherein the key (e.g. 175 "F" in FIGURES 9-11 of Coleman, see also col. 11 lines 24-28 of Coleman) comprises a control key on a keyboard ("cursor control means includes ... a switch having a first position and second position ... such as ... keyboard inputs" col. 7 lines 1-10 of Coleman).

As to claim 12, see the analysis of claim 8 above. Coleman, in combination with Schirmer and Shalit, teaches the method of claim 8, further comprising: displaying application data in a table (i.e. table within "access window" 130 of Coleman) having two or more rows (i.e. row for "alpha scroll bar" 176 and rows for "topic area" 160 of Coleman) and one or more detail views (i.e. "working area" 145, 150 of Coleman), the rows being the independent elements and the one or more detail views being the dependent elements (i.e. note how dependent elements in detail view including "files"

Art Unit: 2174

displayed when independent element "F" selected in Coleman), where if one of the rows (i.e. row for "alpha scroll bar" 176 and rows for "topic area" 160 of Coleman) is the selected element (i.e. "F" and "files" respectively in FIGURES 10-11 of Coleman), the application data displayed in the detail views (i.e. "index entries" (i.e. "files" in FIGURES 10-11 of Coleman) and "phrases" (i.e. "find a file or folder?" in FIGURE 11) respectively in figures 10-11 of Coleman) is made to correspond to the application data displayed in the selected element (i.e. all "index entries" related to "F" are displayed, all "phrases" (i.e. "find a file or folder?" in FIGURE 11 of Coleman) related to "files" are displayed).

As to claim 13, see the analysis of claim 8 above. Coleman, in combination with Schirmer and Shalit, teaches the method of claim 8, wherein the dependent elements (i.e. "working area" 145, 150 of Coleman) include first level elements ("index entries" FIGURES 10-11 of Coleman) and second level elements ("phrase" FIGURES 10-11 of Coleman), where one of the first level elements can have the property of being the first level selected element (i.e. "files" in FIGURES 10-11 of Coleman), and where the application data displayed in the second level elements is made to correspond to the application data displayed in the first level selected element (i.e. "How do I ... find a file or folder?" in FIGURE 11 of Coleman), the method further comprising: receiving user input to navigate to first level elements (i.e. "placement of the cursor 44 over an entry" col. 10 lines 9-10 of Coleman) where in the normal mode (i.e. "momentary clicking of the switch on the mouse col. 10 lines" 10-11 of Coleman), navigation to a first level element ("placement of the cursor over an entry" col. 10 lines 9-10 of Coleman) causes

Art Unit: 2174

the first level element to become the selected element (i.e. note outline around "files" in figures 10-11 of Coleman), and where in the decoupled mode ("user releases the switch on the mouse" col. 10 lines 6-7 of Coleman), navigation to a first level element ("placement of the cursor over an entry" col. 10 lines 9-10 of Coleman) does not change which, if any, of the first level elements is the selected element (i.e. note element not selected beneath cursor 44 in FIGURE 5 of Coleman).

As to claim 14, see the analysis of claim 13 above. Coleman, in combination with Schirmer and Shalit, teaches the method of claim 13, further comprising: receiving user input from a user (i.e. "placement of the cursor over an entry" col. 10 lines 9-10 of Coleman) switching to the normal mode (i.e. "momentary clicking of the switch on the mouse col. 10 lines" 10-11 of Coleman) from the decoupled mode ("user releases the switch on the mouse" col. 10 lines 6-7 of Coleman) and thereupon cause the first level element specified by the most recently received navigation input (i.e. "placement of the cursor over an entry" col. 10 lines 9-10 of Coleman) to become the first level selected element (i.e. note cursor 44 selecting "files" in FIGURE 10 of Coleman).

### ***Response to Arguments***

Applicant's arguments with respect to claims 1-15 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Art Unit: 2174

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chris Watt whose telephone number is (571) 270-1046. The examiner can normally be reached on Monday-Thursday 6:30-4:00 Eastern.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine L. Kincaid can be reached on (571) 276-5619. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Art Unit: 2174

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Chris A. Watt/

CAW

February 22, 2007

*Kristine Kincaid*  
KRISTINE KINCAID  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100